The Virtual Learning Environment for Computer Programming

Swimming pool (2)

Examen final d'Algorísmia, FME (2012-01-11)

There are plenty of guided activities in a certain swimming pool. Therefore, the usage rules are very strict:

- The free time slots are only one minute long.
- After using a free slot, we must wait for at least *x* seconds before using another slot.

You have the list of free slots, and you want to swim for at least m minutes. What is the maximum x that allows it?

Input

Input consists of several cases. Every case begins with the number of minutes *m* and the number of slots *n*, followed by *n* triples *H*:*M*:*S*, indicating that there is a lane that is free for one minute starting at *H*:*M*:*S*. Assume $2 \le m \le n \le 1000$, that the hours are between 00:00:00 and 23:59:00, and that there are no overlaps between time slots. The final entry is marked with a special case with m = n = 0.

Output

For every case, print the maximum *x* that permits a total bath time of *m* or more minutes.

0 543

35940

3540 11000

Sample input

2 2 00:00:00 00:01:00 2 2 00:00:00 00:10:03 2 3 10:10:00 00:10:00 00:20:00 3 4 23:00:00 22:00:00 21:00:00 20:00:00 4 8 00:10:40 00:35:30 01:00:00 01:55:00 02:10:00 03:15:00 12:00:20 23:59:00 0 0

Problem information

Author : Salvador Roura Translator : Salvador Roura Generation : 2024-05-02 17:39:34

© *Jutge.org*, 2006–2024. https://jutge.org

Sample output