

---

## F002A. Infixes

P29428\_en

---

Your task is to write a program that reads a sequence of words and prints, for each word, all the other words of the sequence contained in it.

Your program has to implement and use the function

```
bool contains(string s1, string s2);
```

that returns if the word `s1` contains the word `s2` under the precondition that the length of `s1` is greater or equal than the length of `s2`.

For instance, `contains ("enlightenment", "light")`, `contains ("enlightenment", "enlightenment")`, `contains ("enlightenment", "lighten")` and `contains ("enlightenment", "ten")` have to return `true`, but, however, `contains ("enlightenment", "enlightenment")` and `contains ("enlightenment", "might")` have to return `false`.

### Input

Input consists in a natural number  $n$  followed by  $n$  different words  $p_1, \dots, p_n$ .

### Output

The program has to print a line for each  $p_1, \dots, p_n$  in this order. Each line starts with  $p_i$ , followed by the symbol ":" and the list of all the input words contained in  $p_i$ , in the same order than the input. Notice that the list corresponding to each  $p_i$  always includes  $p_i$ , since every word contains itself.

#### Sample input

```
9
lighten
in
o
en
building
light
build
enlightenment
world
```

#### Sample output

```
lighten: lighten en light
in: in
o: o
en: en
building: in building build
light: light
build: build
enlightenment: lighten en light enlightenment
world: o world
```

### Problem information

Author : Professorat de P1

Translator : Carlos Molina

Generation : 2023-07-14 17:52:43

© Jutge.org, 2006–2023.

<https://jutge.org>