
Setting the video

P40128_en

Quart Concurs de Programació de la FME (3 de maig de 2007)

Professor Oak is a great fan of *Takeshi's castle*. So much, that he has bought a satellite antenna to watch the show in several European channels. Professor Oak has a guide of all the channels of Europe, and wants to set his video to record as many episodes as possible. But it is not easy: The video only can record a channel at a time. Moreover, the episodes can have different lengths (depending on how they are edited, the advertiments, etc).

Can you help professor Oak? Write a program that, given the beginning time and end time of the broadcast of all the episodes of *Takeshi's castle* in all the european channels during several days, computes the maximum number of episodes that can be recorded every day.

Input

Input consists of several cases. Each case has a natural number $1 \leq n \leq 10^5$ followed by n pairs $(i_1, f_1), \dots, (i_n, f_n)$ of natural numbers that indicate the beginning time and the end time, *both of them included*, of each episode of a day. For any j between 1 and n , assume $0 \leq i_j \leq f_j \leq 10^9$.

Output

For each case of the input, print a line with the maximum number of complete episodes that professor Oak will be able to record that day.

Sample input

```
3 100 200 500 780 1000 1040
7 400 1100 500 600 900 1400
200 300 1200 1300 100 700 800 1000

3 0 100 100 1439 0 1439

2 1234 1234 1234 1234
```

Sample output

```
3
4
1
1
```

Problem information

Author : Ricardo Martín

Translator : Carlos Molina

Generation : 2023-01-31 10:46:55

© Jutge.org, 2006–2023.

<https://jutge.org>