

**Superposition of many rectilinear skylines**

**P48675\_en**


The skyline of a city shows the horizon view of its buildings. In this problem we are dealing with rectilinear skylines such as the ones shown in the figure. Each skyline can be represented by a vector of points  $[(x_0, y_0), \dots, (x_{n-1}, y_{n-1})]$  with the following properties:

$$\begin{aligned} x_i, y_i &\geq 0 && \forall i \in \{0, \dots, n-1\} \\ x_{i-1} &< x_i && \forall i \in \{1, \dots, n-1\} \\ y_{i-1} &\neq y_i && \forall i \in \{1, \dots, n-1\} \\ x_0 &> 0, && y_{n-1} = 0 \end{aligned}$$

An empty skyline is represented by an empty vector. A non-empty skyline must have at least two points.

The next figure shows three skylines that are represented by the red points. The top-left skyline is represented by the vector of points:

$$[(1, 2), (4, 4), (6, 1), (8, 0), (10, 3), (12, 1), (14, 0)]$$



This problem consists of generating the skyline obtained by the superposition of a sequence of skylines. In the figure, the skyline at the right is obtained by the superposition of the two skylines at the left.

**Input**

Input will start with the number  $s$  of skylines to process, with  $s \geq 2$ . Then, each skyline will be represented by its number of points  $n$  and its set of points  $x_0 y_0 x_1 y_1 \dots x_{n-1} y_{n-1}$  (fullfilling the previous properties). All the values are integers.

**Output**

The output will consist of a line, representing the skyline obtained after the superposition of the given skylines.

**Observation**

Download the *code.cc* file: you only have to implement the *skyline()* function and reuse the *skyline\_superposition()* function from problem P76893.

### Sample input 1

```
2
7 1 2 4 4 6 1 8 0 10 3 12 1 14 0
5 2 3 6 2 9 0 11 4 13 0
```

### Sample input 2

```
4
7 1 2 4 4 6 1 8 0 10 3 12 1 14 0
5 2 3 6 2 9 0 11 4 13 0
2 0 8 10 0
4 3 15 8 4 10 2 12 0
```

### Sample input 3

```
4
2 1 1 4 0
2 2 2 3 0
2 5 2 6 0
2 5 1 7 0
```

### Sample output 1

```
9 1 2 2 3 4 4 6 2 9 0 10 3 11 4 13 1 14 0
```

### Sample output 2

```
7 0 8 3 15 8 8 10 3 11 4 13 1 14 0
```

### Sample output 3

```
7 1 1 2 2 3 1 4 0 5 2 6 1 7 0
```

### Problem information

Author : Jordi Petit and Jordi Cortadella

Generation : 2021-03-04 12:23:06

© *Jutge.org*, 2006–2021.

<https://jutge.org>