


Lowest common ancestor

P49809_en

The lowest common ancestor (LCA) of two nodes x and y in a tree is the lowest (i.e. deepest) node that has both x and y as descendants, where we define each node to be a descendant of itself.

For instance, in the following tree, 5 is the LCA of 1 and 9, and 6 is the LCA of 1 and 0:



Write a function `Tree lowest_common_ancestor (Tree t, int x, int y)`; that returns the node that corresponds to the LCA of x and y in a binary tree of integers. You can assume that t contains both x and y and that t does not contain repeated elements.

Most of the program is already written for you. Download it! It reads several trees in pre-order with leaves marked with -1 and, for each of these, reads several pairs of values and prints their LCA. You just have to specify and implement the `lowest_common_ancestor()` function (and other helper functions, should you need them). Also, write a comment with the time efficiency of your algorithm.

Sample input

```

2
5 6 1 -1 -1 7 2 -1 -1 0 -1 -1 3 9 -1 -1 4 -1 -1
    1 9
    1 0
    6 3
    3 6
    5 5
    3 3
    5 0
    -1 -1

5 2 3 -1 -1 8 -1 -1 -1
    3 8
    3 2
  
```

```
3 5
2 5
8 5
-1 -1
```

Sample output

```
5
6
5
5
5
3
5

2
2
5
5
5
```

Problem information

Author : Jordi Petit

Generation : 2021-06-17 12:54:25

© *Jutge.org*, 2006–2021.

<https://jutge.org>