
Flipped parentheses

P64777_en

Primer Concurs de Programació de la UPC - Final (2003-09-23)

A CME (Correct Mathematical Expression) was defined by the following rules:

- z is a CME;
- if X is a CME, then so is (X) ;
- if X and Y are both CMEs, then so is $(X+Y)$;
- there are no more CMEs than those produced by the three rules above.

This set of rules produces terms like

(z) $(z+z)$ $(z+(z+z))$ $((((z))))$...

Unfortunately, the job to produce the CMEs was given to a half-crazy computer (a HAL's cousin) that sometimes flipped the parentheses, from $)$ to $($ and viceversa, thus producing terms like

$)z)$ $(z+z($ $(z+(z+z($ $)))z((($...

We call these terms ACMEs (Almost Correct Mathematical Expressions). You are asked to write a program such that, given an ACME, computes the minimum number of parentheses that must be flipped to get a CME.

Input

The input has several non-empty strings consisting of at most 10^4 characters chosen from $\{ 'z', '(', ')', '+ '\}$.

Output

For each string of the input, tell if it is a CME, an ACME, or rubbish. In the second case, compute the minimum number of flips to convert the string into a CME.

Sample input

```
z
(z+(z+z())
+z
```

Sample output

```
z : this is a CME
(z+(z+z() : 1 flip(s)
+z : this is rubbish
```

Problem information

Author : Salvador Roura

Generation : 2024-05-02 21:12:09

© Jutge.org, 2006–2024.

<https://jutge.org>