Jutge.org

The Virtual Learning Environment for Computer Programming

Sorting by the number of divisors

P64854_en

Examen extraordinari d'Informàtica, FME (2015-07-06)

Given n natural numbers, sort them. First, by its number of divisors (the larger the better); in case of a tie, by its number of digits (the larger the better); and in case of another tie, by its value (the smaller the better).

Input

Input consists of several cases, each one with n followed by n numbers between 1 and 10^7 . You can assume $1 \le n \le 10^4$.

Output

For every case, print n lines with every number and its number of divisors, sorted as it is explained above. Print a line with 10 dashes at the end of every case.

Hint

Remember that, if the factorization of a number is $p_1^{q_1} \cdots p_m^{q_m}$, then its number of divisors is $(q_1 + 1) \cdots (q_m + 1)$. For instance, for $12 = 2^2 \cdot 3^1$ there are $(2 + 1) \cdot (1 + 1) = 6$ divisors.

Sample input

```
9 12 1 5 1000 10 8 9 34549 10007
4 10000000 9999999 9999998 9999997
3 23 23 23
```

Sample output

```
1000 16

12 6

10 4

8 4

9 3

10007 2

34549 2

5 2

1 1

------

10000000 64

9999999 12

9999997 4

9999998 4

-------

23 2

23 2

23 2

------
```

Problem information

Author : Salvador Roura Translator : Salvador Roura Generation : 2015-10-01 18:32:12

© *Jutge.org*, 2006–2015. http://www.jutge.org