
Jaccard index**P67731_en**

The *Jaccard index* is a statistic used for comparing the similarity and diversity of two sets. Namely, the Jaccard index $J(A, B)$ of A and B is

$$J(A, B) = \frac{|A \cap B|}{|A \cup B|}.$$

For example, the Jaccard index of the sets $\{1, 2, 3\}$ and $\{3, 4\}$ is 0.25.

Write a program to compute the Jaccard index of pairs of sets of integers.

Input

The input consists of several cases. Each case starts describes two sets A and B . The first set A starts with its cardinality $m \geq 0$ and then follow its m integer elements in strictly increasing order. The second set B starts with its cardinality $n \geq 0$ and then follow its n integer elements in strictly increasing order. For each case, $m + n \geq 1$.

Output

For each case in the input, print the Jaccard index of its two sets in a different line with 3 digits of precision.

Hint

- Basic set theory may save you some valuable coding time.
- Use `@cout.setf(ios::fixed); cout.precision(3);@` at the beginning of your program to print real numbers with 3 digits of precision.

Sample input 1

```
3  1  2  3
2  3  4
11 -9 -7 -5 -1 3  4  5  8 11 17 19
11 -8 -5 -4  1  3  6  8  9 11 12 17
0
3  1  2  3
```

Sample output 1

```
0.250
0.294
0.000
```

Problem information

Author: Guillem Godoy, Jordi Petit

Generation: 2026-01-25T11:33:26.312Z

© Jutge.org, 2006–2026.

<https://jutge.org>