
Partial sums

P70578_en

Tercer Concurs de Programació de la UPC - Semifinal (2005-09-14)

Given an array $A[0 .. n - 1]$ and an index i , the i -th partial sum of A is $\sum_{0 \leq j \leq i} A[j]$. Here, you have to implement a data structure to efficiently compute partial sums. The operations you must consider are the creation of an array with all its values initialized to zero, the modification of a value, and the query of a partial sum.

Input

Input consists of a non-empty sequence of commands. Every command begins with a letter to identify it, followed by one or two integer-number parameters. These are the possible commands:

- “r n ” resets (or creates) an array of n integer numbers to zero. Assume $1 \leq n \leq 10^5$.
- “s i x ” sets the position i to x . Assume $0 \leq i < n$ and $-100 \leq x \leq 100$.
- “g i ” gets (and prints) the i -th partial sum. Assume $0 \leq i < n$.

In general, there are much more set and get commands than reset commands. The first command is always a reset.

Output

For each get command, print the corresponding partial sum. Print the output corresponding to each reset command on a unique line, separated by spaces.

Sample input

```
r 8
s 0 3    s 1 2    s 2 1    s 3 5    s 4 4    s 5 3    s 6 2    s 7 3
g 0      g 1      g 2      g 3      g 4      g 5      g 6      g 7
s 3 8          g 2      g 7
s 3 -100       g 0      g 7
r 3
s 1 4
g 0      g 1      g 2      g 0
```

Sample output

```
3 5 6 11 15 18 20 23 6 26 3 -82
0 4 4 0
```

Problem information

Author : Jordi Petit

Generation : 2013-09-02 15:37:33

© Jutge.org, 2006–2013.

<http://www.jutge.org>