


**Tennis tournament**

**P73160\_en**

Consider a tennis tournament with  $m$  participants with names  $x_1, x_2, \dots, x_m$ , where  $m$  is a power of two. In the first round  $x_1$  plays against  $x_2$ ,  $x_3$  plays against  $x_4$ ,  $\dots$ , and  $x_{m-1}$  plays against  $x_m$ . The players that lose are eliminated, and the process is repeated with the remaining players. When only a player remains, this is the winner of the tournament.

For instance, let  $m = 8$ , and suppose that in the first round  $x_1$  defeats  $x_2$ ,  $x_3$  loses against  $x_4$ ,  $x_5$  defeats  $x_6$ , and  $x_7$  defeats  $x_8$ . In the second round  $x_1$  plays against  $x_4$  (suppose that  $x_4$  wins), and  $x_5$  plays against  $x_7$  (suppose that  $x_7$  wins). In the third and last round  $x_4$  plays against  $x_7$ . Assuming that  $x_4$  wins, this is the champion. The following figure shows the championship just described:



Write a procedure that, given the names of the players and the table of results, returns the name of the winner of the tournament:

```
string winner(const vector<string>& name, const vector<bool>& win);
```

The vector *name* has size  $m$ , where  $m$  is any power of 2. For each  $j$  between 0 and  $m - 1$ , we have  $name[j] = x_{j+1}$ . All the names are different.

For instance, this could be the table of names of the tournament previously described:

0	1	2	3	4	5	6	7
Edberg	Lendl	Wilander	Borg	Agassi	Becker	McEnroe	Connors

The vector *win* has size  $m - 1$  and contains all the results of the matches: the first round is stored in the last  $m/2$  positions, the second round is stored in the  $m/4$  previous positions, the third round is stored in the  $m/8$  previous positions,  $\dots$ , and the result of the last round (the final) is stored in  $win[0]$ . The boolean of each position indicates if the first player (the one with the smallest index) has won against the second one.

This would be the table of results of the tournament previously described:

0	1	2	3	4	5	6
true	false	false	true	false	true	true
final	second round		first round			

For the example tournament, the answer should be "Borg".

## **Observation**

You only need to submit the required procedure; your main program will be ignored.

## **Problem information**

Author : Salvador Roura

Translator : Carlos Molina

Generation : 2023-07-14 18:17:08

© *Jutge.org*, 2006–2023.

<https://jutge.org>