

P0014. Numerical valleys

P80868_en

Your task is to write a program that, given two natural numbers n and r , uses n to print a valley with r rows as it is shown at the instances. Notice that, the last row has r numbers n separated by dashes, the central dot, and r numbers n separated by dashes, that each row has two numbers n less than the row immediatly below, and that the part of the middle has to be filled with as many dots as necessary.

To solve this problem, you must implement *recursively* the function

```
int number_of_digits (int n);
```

that returns the number of digits of n , under the precondition $n \geq 0$.

Input

The input consists of two natural numbers n and r , with $r > 0$.

Output

Your program must print a valley of r rows using the number n as can be seen in the instances.

Observations

- Using strings is not allowed. Obviously, you can not use vectors either.
- Remember to implement `number_of_digits (n)` recursively.

Sample input 1

```
10004
3
```

Sample output 1

```
10004.....10004
10004-10004.....10004-10004
10004-10004-10004.10004-10004-10004
```

Sample input 2

```
0
6
```

Sample output 2

```
0.....0
0-0.....0-0
0-0-0.....0-0-0
0-0-0-0.....0-0-0-0
0-0-0-0-0.....0-0-0-0-0
0-0-0-0-0-0.....0-0-0-0-0-0
```

Sample input 3

```
987654321
1
```

Sample output 3

```
987654321.987654321
```

Problem information

Author : Professorat de P1

Translator : Carlos Molina

Generation : 2023-07-14 18:20:16

© *Jutge.org*, 2006–2023.

<https://jutge.org>