Jutge.org

The Virtual Learning Environment for Computer Programming

Numbers with no forbidden prefixesP8Examen extraordinari d'Algorísmia, FME (2013-07-03)P8

Write a backtracking program to print all the *n*-digit numbers such that none of its prefixes (the whole number included) is a multiple of any of *m* given forbidden divisors d_1, \ldots, d_m .

For instance, if n = 3, m = 6 and the forbidden divisors are 2, 3, 5, 7, 11 and 19, then 137 is allowed, because none of its three prefixes 1, 13 and 137 is a multiple of any d_i . By contrast, 433 is not allowed, because some of its three prefixes 4, 43 and 433 is multiple os some d_i (4 is multiple of 2).

Input

Input consists of several cases. Each case begins with *n* and *m*, followed by *m* different integer numbers between 2 and 1000. You can assume $1 \le n \le 9$ and $1 \le m \le 15$.

Output

For every case, print all the numbers with exactly n digits and no forbidden prefixes, one per line and in increasing order. Print a line with 10 dashes at the end of each case.

| Sample input | Sample output |
|----------------------------------|--|
| 3 6 2 3 5 7 11 19 1 1 2 | 131 137 139 173 |
| 2 6 3 4 7 11 12 13 2 9 | 179 1 |
| 2 3 5 7 9 11 13 17 19 9 10 | 3 5 |
| 199 191 193 17 13 11 7 5 3 2 | 7 9 10 17 19 23 25 29 50 53 58 59 197399999 197933933 197933993 197933999 |

Problem information

Author : Salvador Roura Translator : Salvador Roura Generation : 2024-05-03 00:29:09

© *Jutge.org*, 2006–2024. https://jutge.org