Jutge.org

The Virtual Learning Environment for Computer Programming

Fractal pictures

P93774_en

Quart Concurs de Programació de la UPC - Final (2006-10-04)

Let P be a rectangular pattern with n rows and m columns, where each position is either empty or marked. We can use P to make nice fractal pictures as follows: Start with a 1×1 picture, with its position marked. Then, do k times: Replace every marked position by P, and every empty position by an empty $n \times m$ grid. At the end of this process we get an $n^k \times m^k$ fractal picture. Here, you will have to print fractal pictures, and also answer some questions about them.

Input

Input consists of several cases separated with blank lines. Each case starts with a line with n and m. Then follows P in n lines, each with m characters: '.' for an empty position, 'x' for a marked position. Then follows a line with k, a line with an integer $q \ge 1$, and q lines, each with a query: every line $1 \le i \le q$ contains three integers k_i , r_i and c_i . Assume $2 \le n \le 20$, $2 \le m \le 20$, $n^k \le 80$, n^k

Output

For every test case in the input, print first the $n^k \times m^k$ fractal picture that results after applying k times the pattern P. Then print a blank line, followed by q lines, one for each query in the input. For every i, print the content of the (r_i, c_i) position after k_i steps, following the format of the sample output. Print a blank line after the output for every test case.

Sample input

```
3 3
.X.
XXX
.X.
3
2
3 1 14
3 1 15
2 3
..X
XXX
4
2 1 1
2 1 9
2 4 1
0 1 1
2 2
. X
XX
50 1125899906842624 1125899906842624
```

Sample output

```
......XXX.......
......X..X..X.......
......XXXXXXXXX.....
.....X..X..X.......
....X.....X.....X.....X...
...XXX.....XXX.....XXX...
....X.....X.....X.....X...
.X..X..X..X..X..X..X..X..X.
XXXXXXXXXXXXXXXXXXXXXXXXXXXXX
.X..X..X..X..X..X..X..X..X.
....X.....X.....X....
...XXX.....XXX.....XXX...
....x.....x....x....
..........X..X..X........
.......XXXXXXXXX......
.....xxx.....
after 3 step(s), (1, 14) is marked
after 3 step(s), (1, 15) is empty
.....X
....XXX
..X..X..X
XXXXXXXX
after 2 step(s), (1, 1) is empty
after 2 step(s), (1, 9) is marked
after 2 step(s), (4, 1) is marked
after 0 step(s), (1, 1) is marked
....X
....XX
....X.X
...XXXX
...X...X
..XX..XX
.x.x.x.x
XXXXXXX
after 50 step(s), (1125899906842624, 1125899906842624) is marked
```

Problem information

Author: Salvador Roura

Generation: 2013-09-02 15:38:19

© *Jutge.org*, 2006–2013. http://www.jutge.org