
Consonant words' scale

X47203_en

PRO1-FIB Control 4

Definition 1: A pair of words written in capital letters (p_1, p_2) is said to form a *consonant scale* if the number of occurrences of consonants in p_2 is greater than the number of occurrences of consonants in p_1 .

For example, the pair (MADUIXOT, PRESSEC) form a consonant scale, since MADUIXOT has 4 consonants and PRESSEC has 5. So does the pair (POMA, PLATAN). However, neither (SINDRIA, PRUNA) nor (PERA, KIWI) do form a consonant scale.

Definition 2: A *consonant words' scale* of length k is a sequence of k words (written in capital letters), where every pair of consecutive words of the sequence form a consonant scale.

For example: POMA, MADUIXA, PLATAN, PRESSEC, ALBERCOCS is a consonant words' scale of words with length 5.

Definition 3: Given a matrix with n rows and m columns, we say that a sequence of k positions of the matrix is *scaled* if it follows the following form $\{(i, j), (i + 1, j + 1), \dots, (i + k - 1, j + k - 1)\}$, for i, j, k holding that $0 \leq i, i + k - 1 < n, 0 \leq j, j + k - 1 < m$.

For example, given a matrix of size 6×10 , the sequence $\{(0, 2), (1, 3), (2, 4), (3, 5), (4, 6)\}$ is a scaled sequence of positions of length 5, that starts at position $(0, 2)$

To do:

Do a program that, given a word matrix and a natural k , traverses the matrix in a row-wise way and computes the first position (i, j) starting a consonant words' scale of length k in a scaled sequence of positions starting at (i, j) .

Your program must represent the word matrix by means of the following type:

```
struct Word {
    string contents;           // the word
    int consonants;           // number of occurrences of consonants
};

typedef vector< vector<Word> > WordsMat;
```

Input

The input is composed by a single case. The case consists of the number of rows $n \geq 1$, the number of columns $m \geq 1$ of the matrix, and a natural number k determining the length of the sequence to be found. Following, we find n lines with m strings each. Each string is formed only by capital letters.

Output

You must write in a single line: the row number and the column number of the matrix, together with the word in it, where the first (according to a row-wise traversal) consonant

words' scale of length k starts when considering a scaled sequence of positions. You must write -1 -1 when the matrix does not have any.

Follow the format as specified on the examples. Follow a good programming style. You may consider (but it is up to you) to include comments within your code.

Sample input 1

```
4 6 2
SA SO TO ON NI VI
VI SA SO TO ON NI
NI VI SA SO XX ON
YY ZZ XX YY ZZ XX
```

Sample output 1

```
1 3 TO
```

Sample input 2

```
1 6 1
SA SO TO ON NI VI
```

Sample output 2

```
0 0 SA
```

Sample input 3

```
2 6 2
SA SO TO ON NI VI
VI SA SO TO ON NI
```

Sample output 3

```
-1 -1
```

Sample input 4

```
3 6 4
SA SO TO ON NI VI
SA SO TO ON NI VI
SA SO TO ON NI VI
```

Sample output 4

```
-1 -1
```

Problem information

Author : Gabriel Valiente, Maria Blesa

Translator : Maria Blesa

Generation : 2014-12-18 09:18:12

© *Jutge.org*, 2006–2014.

<http://www.jutge.org>